Table ES-2 (Continued)
DRAFT MITIGATION REPORTING AND MONITORING PROGRAM

No.	Mitigation Measure	Compliance Verification	Mitigation Milestone
	Noise (Continued)		
8-9	No residential units shall be located within 130 feet of the centerline of Diamond Bar Boulevard unless additional sound attention is provided to the satisfaction of the Community Development Director.	Community Development Director	Final Tract Map Recordation
	Cultural Resources		
11-1	Prior to the issuance of a grading permit, a qualified archaeologist shall be retained by the Applicant and approved by the City to monitor all vegetation removal and ground disturbance to a depth of three feet within the following portions of the study area: (1) the boundary of SD-Cultural-1; (2) the open valley floor adjacent to SD-Cultural-1; and (3) the riparian areas that were not previously surveyed due to dense vegetation cover. The archaeologist will determine if additional monitoring below the depth of three feet is warranted based on soil and bedrock conditions and presence/absence of archaeological materials. No archaeological monitoring is required for ground disturbing activities outside of these monitor areas.	Community Development Director and City Engineer	Issuance of Grading Permits
11-2	If cultural resources are identified during monitoring of the ground disturbing activities, the archaeologist shall be allowed to temporarily divert or redirect grading or excavation activities in the vicinity of those resources in order to make an evaluation of the find and determine appropriate treatment. Treatment will include the goals of preservation where practicable and public interpretation of historic and archaeological resources. All cultural resources recovered will be documented on California Department of Parks and Recreation Site Forms to be filed with the CHRIS-SCCIC. The archaeologist shall prepare a final report about the monitoring to be filed with the Applicant, the City, and the California Historical Resources Information System South Central Coastal Information Center at the California State University, Fullerton (CHRIS-SCCIC), as required by the California Office of Historic Preservation. The report shall include documentation and interpretation of resources recovered, if any. Interpretation will include full evaluation of the eligibility of SD-Cultural-1 with respect to the California Register of Historic Places and CEQA. The report shall also include all specialists' reports as appendices. The City shall designate repositories in the event that significant resources are recovered. If cultural resources are identified during ground disturbing activities that occur outside the designated monitoring area, ground disturbing activities shall be temporarily redirected away from the vicinity of the find until the retained archaeologist is notified by the Applicant. The archaeologist shall coordinate with the Applicant as to the immediate treatment of the find until a proper site visit and evaluation is made by the archaeologist.	Building Inspector	Construction Term
11-3	If human remains are encountered unexpectedly during construction excavation and grading activities, Health and Safety Code Section 7050.5 requires that no further disturbance shall occur until the County Coroner has made the necessary findings as to origin and disposition pursuant to Section 5097.98 of the Public Resources Code. If the remains are determined to be of Native American descent, the County Coroner has 24 hours to notify the California Native American Heritage Commission (NAHC). The NAHC will then identify the person(s) thought to be the Most Likely Descendent of the deceased Native American, who will then help determine what course of action should be taken in dealing with the remains.	Building Inspector	Construction Term

Table ES-2 (Continued)
DRAFT MITIGATION REPORTING AND MONITORING PROGRAM

No.	Mitigation Measure	Compliance Verification	Mitigation Milestone
	Cultural Resources (Continued)		
11-4	Prior to the issuance of a grading permit, a qualified paleontologist meeting the qualifications established by the Society of Vertebrate Paleontologists shall be retained by the Applicant and approved by the City to develop and implement a paleontological monitoring plan. Development of the monitoring plan shall include a site visit by the paleontologist prior to initiation of project development in order to determine or delineate sensitive areas. The paleontologist may also perform collections of fossils from the surface and near-surface.	Community Development Director	Issuance of Grading Permits
11-5	The paleontologist shall attend a pre-grade meeting in order to become familiar with the proposed depths and patterns of grading of the study area.	City Engineer	Issuance of Grading Permits
11-6	The paleontologist shall establish a curation agreement with an accredited facility prior to grading permit issuance.	City Engineer	Issuance of Grading Permits
11-7	A paleontological monitor, supervised by the paleontologist, shall monitor all excavations in the Puente Formation or excavations anticipated to extend into the Puente Formation. If fossils are found during ground-disturbing activities, the paleontological monitor shall be empowered to halt the ground-disturbing activities within 25 feet of the find in order to allow evaluation of the find and determination of appropriate treatment.	Building Inspector	Construction Term
11-8	The paleontologist shall prepare a final report on the monitoring. If fossils were identified, the report shall contain an appropriate description of the fossils, treatment, and curation. A copy of the report shall be filed with the City and the Natural History Museum of Los Angeles County and shall accompany any curated fossils.	Community Development Director	Grading Sign-Off
	Aesthetics		
12-1	Pole-mounted or wall-mounted luminaires installed for the purpose of illuminating commercial areas, parking lots, roadways, and driveways shall conform to appropriate lighting standards and demonstrate that light trespass not exceed 0.5 horizontal foot candle, as measured at the project boundaries abutting any existing residential use. These standards shall not be applied to any adjoining public streets or other non-light-sensitive land uses.	Community Development Director	Building Permit Issuance